



OPEN ACCESS

EDITED AND REVIEWED BY
Timothy James Kinsella,
Brown University, United States

*CORRESPONDENCE
Felipe A. Calvo
✉ fcalvom@unav.es

SPECIALTY SECTION
This article was submitted to
Radiation Oncology,
a section of the journal
Frontiers in Oncology

RECEIVED 05 December 2022
ACCEPTED 08 December 2022
PUBLISHED 18 January 2023

CITATION
Calvo FA, Ayestaran A, Serrano J,
Cambeiro M, Palma J, Meiriño R,
Morcillo MA, Lapuente F, Chiva L,
Aguilar B, Azcona D, Pedrero D,
Pascau J, Delgado JM, Aristu J,
Alonso A and Prezado Y (2023)
Corrigendum: Practice-oriented
solutions integrating intraoperative
electron irradiation and personalized
proton therapy for recurrent or
unresectable cancers: Proof of
concept and potential for dual
FLASH effect.
Front. Oncol. 12:1116433.
doi: 10.3389/fonc.2022.1116433

COPYRIGHT
© 2023 Calvo, Ayestaran, Serrano,
Cambeiro, Palma, Meiriño, Morcillo,
Lapuente, Chiva, Aguilar, Azcona,
Pedrero, Pascau, Delgado, Aristu, Alonso
and Prezado. This is an open-access
article distributed under the terms of
the [Creative Commons Attribution
License \(CC BY\)](#). The use, distribution
or reproduction in other forums is
permitted, provided the original
author(s) and the copyright owner(s)
are credited and that the original
publication in this journal is cited, in
accordance with accepted academic
practice. No use, distribution or
reproduction is permitted which does
not comply with these terms.

Corrigendum: Practice-oriented solutions integrating intraoperative electron irradiation and personalized proton therapy for recurrent or unresectable cancers: Proof of concept and potential for dual FLASH effect

Felipe A. Calvo^{1*}, Adriana Ayestaran¹, Javier Serrano¹,
Mauricio Cambeiro¹, Jacobo Palma¹, Rosa Meiriño¹,
Miguel A. Morcillo², Fernando Lapuente³, Luis Chiva⁴,
Borja Aguilar⁵, Diego Azcona⁵, Diego Pedrero⁵,
Javier Pascau⁶, José Miguel Delgado¹, Javier Aristu¹,
Alberto Alonso⁷ and Yolanda Prezado^{8,9}

¹Department of Radiation Oncology, Clínica Universidad de Navarra, Madrid, Spain, ²Medical Applications Unit, Centro de Investigaciones Energéticas, Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain, ³Department of Surgery, Clínica Universidad de Navarra, Madrid, Spain,

⁴Department of Gynecology and Obstetrics, Clínica Universidad de Navarra, Madrid, Spain,

⁵Department of Medical Physics, Clínica Universidad de Navarra, Madrid, Spain, ⁶Department of Bioengineering and Aerospace Engineering, Universidad Carlos III de Madrid, Madrid, Spain,

⁷Department of Radiology, Unit of Vascular Surgery and Interventional Radiology, Clínica Universidad de Navarra, Madrid, Spain, ⁸Translational Research Department, Institut Curie, Université PSL, CNRS UMR, Inserm, Signalisation, Radiobiologie et Cancer, Orsay, France,

⁹Université Paris-Saclay, CNRS UMR, Inserm, Signalisation, Radiobiologie et Cancer, Orsay, France

KEYWORDS

electron FLASH, proton therapy FLASH, cancer, reirradiation, oligorecurrent

A Corrigendum on

Practice-oriented solutions integrating intraoperative electron irradiation and personalized proton therapy for recurrent or unresectable cancers: Proof of concept and potential for dual FLASH effect

By Calvo FA, Ayestaran A, Serrano J, Cambeiro M, Palma J, Meiriño R, Morcillo MA, Lapuente F, Chiva L, Aguilar B, Azcona D, Pedrero D, Pascau J, Delgado JM, Aristu J, Alonso A, Prezado Y (2022) *Front. Oncol.* 12:1037262. doi: 10.3389/fonc.2022.1037262

Error in Author List

In the published article, there was an error in the author list; author Alberto Alonso was erroneously excluded. The corrected author list appears below.

Felipe A. Calvo^{1*}, Adriana Ayestaran¹, Javier Serrano¹, Mauricio Cambeiro¹, Jacobo Palma¹, Rosa Meiriño¹, Miguel A. Morcillo², Fernando Lapuente³, Luis Chiva⁴, Borja Aguilar⁵, Diego Azcona⁵, Diego Pedrero⁵, Javier Pascau⁶, José Miguel Delgado¹, Javier Aristu¹, Alberto Alonso⁷ and Yolanda Prezado^{8,9}

¹*Department of Radiation Oncology, Clinica Universidad de Navarra, Madrid, Spain*

²*Medical Applications Unit, Centro de Investigaciones Energéticas, Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*

³*Department of Surgery, Clinica Universidad de Navarra, Madrid, Spain*

⁴*Department of Gynecology and Obstetrics, Clinica Universidad de Navarra, Madrid, Spain*

⁵*Department of Medical Physics, Clinica Universidad de Navarra, Madrid, Spain*

⁶*Department of Bioengineering and Aerospace Engineering, Universidad Carlos III de Madrid, Madrid, Spain*

⁷*Department of Radiology, Unit of Vascular Surgery and Interventional Radiology, Clinica Universidad de Navarra, Madrid, Spain*

⁸*Translational Research Department, Institut Curie, Université PSL, CNRS UMR, Inserm, Signalisation, Radiobiologie et Cancer, Orsay, France*

⁹*Université Paris-Saclay, CNRS UMR, Inserm, Signalisation, Radiobiologie et Cancer, Orsay, France*

Author Contributions Statement

In the Author Contributions statement in the published article, there was an error; author Alberto Alonso was erroneously excluded.

This paragraph previously stated:

Conceptualization: FC, JA, MC and YP. Data curation: FC, AA, JS, MC, JA, RM, JPas, FL, BA, LC, MM, JP, JD, and YP. Formal analysis: FC, JS, and JP. Investigation: FC, AA, MM, RM, BA, DP, DA, and YP. Methodology: JS, AA, DP, DA, and YP. Project administration: FC. Supervision: FC, JA, and AA. Writing-original draft: FC, AA, JS, and YP. Writing-review and editing: FC, YP, JA, JS, RM, JP, JPas, LC, DP, DA, and AA. All authors contributed to the article and approved the submitted version.

The corrected paragraph appears below:

Conceptualization: FC, JA, MC, and YP. Data curation: FC, AA, JS, MC, JA, RM, JPas, FL, BA, LC, MM, JP, JD, AAlon, and YP. Formal analysis: FC, JS, and JP. Investigation: FC, AA, MM, RM, BA, DP, DA, AAlon, and YP. Methodology: JS, AA, DP, DA, and YP. Project administration: FC. Supervision: FC, JA, and AA. Writing-original draft: FC, AA, JS, and YP. Writing review and editing: FC, YP, JA, JS, RM, JP, JPas, LC, DP, DA, AAlon, and AA. All authors contributed to the article and approved the submitted version.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way.

The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.