Check for updates

OPEN ACCESS

APPROVED BY Frontiers Editorial Office, Frontiers Media SA, Switzerland

*CORRESPONDENCE Kate Lim Kate.lim@dal.ca Ketan Kulkarni Ketan.Kulkarni@iwk.nshealth.ca

[†]These authors share first authorship

RECEIVED 16 April 2024 ACCEPTED 22 April 2024 PUBLISHED 10 May 2024

CITATION

Ricci C, Subburaj D, Lim K, Shukla N, Kaur J, Xie L, Laverty M, Zakaria D, Pole J, Pelland-Marcotte M-C, Barber R, Israels SJ, Tran T-H, Oberoi S, Renzi S, MacDonald T, Sung L and Kulkarni K (2024) Corrigendum: Second malignant neoplasms within 5 years from first primary diagnosis in pediatric oncology patients in Canada: a populationbased retrospective cohort study. *Front. Oncol.* 14:1418512. doi: 10.3389/fonc.2024.1418512

COPYRIGHT

© 2024 Ricci, Subburaj, Lim, Shukla, Kaur, Xie, Laverty, Zakaria, Pole, Pelland-Marcotte, Barber, Israels, Tran, Oberoi, Renzi, MacDonald, Sung and Kulkarni. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Second malignant neoplasms within 5 years from first primary diagnosis in pediatric oncology patients in Canada: a population-based retrospective cohort study

Christina Ricci^{1†}, Divya Subburaj^{2†}, Kate Lim^{3*†}, Neetu Shukla¹, Jaskiran Kaur⁴, Lin Xie¹, Meghan Laverty¹, Dianne Zakaria¹, Jason Pole^{5,6}, Marie-Claude Pelland-Marcotte^{7,8}, Randy Barber⁹, Sara J. Israels¹⁰, Thai-Hoa Tran^{11,12}, Sapna Oberoi^{10,13}, Samuele Renzi^{14,15}, Tamara MacDonald^{16,17}, Lillian Sung^{14,18} and Ketan Kulkarni^{2*}

¹Lifespan Chronic Disease and Conditions Division, Public Health Agency of Canada, Ottawa, ON, Canada, ²Department of Pediatrics, Division of Hematology-Oncology, Izzak Walton Killam (IWK) Health Centre, Halifax, NS, Canada, ³Faculty of Medicine, Dalhousie University, Halifax, NS, Canada, ⁴Surveillance Systems and Data Management Division, Public Health Agency of Canada, Ottawa, ON, Canada, ⁵Dalla Lana School of Public Health, University of Toronto, Toronto, ON, Canada, ⁶Centre for Health Sciences Research, University of Queensland, Brisbane, QLD, Australia, ⁷Division of Pediatric Hematology-Oncology, CHU de Québec-Centre Mère-Enfant Soleil, Quebec City, QC, Canada, ⁸Research Centre of the CHU de Québec, Axe Reproduction, Santé de la Mère et de l'Enfant, Quebec City, QC, Canada, ºC17 Research Network, C17 Council, Edmonton, AB, Canada, ¹⁰Department of Pediatrics and Child Health, University of Manitoba, Winnipeg, MB, Canada, ¹¹Department of Pediatrics, Division of Pediatric Hematology-Oncology, Charles-Bruneau Cancer Center, Centre Hospitalier Universitaire (CHU) Sainte-Justine, Montréal, QC, Canada, ¹²Immune Diseases and Cancers Axis, CHU Sainte-Justine Research Center, Montréal, QC, Canada, ¹³Department of Pediatric Hematology-Oncology, CancerCare Manitoba, Winnipeg, MB, Canada, ¹⁴Division of Hematology Oncology, The Hospital for Sick Children, Toronto, ON, Canada, ¹⁵Department of Anesthesia and Intensive Care, IRCCS San Raffaele Scientific Institute, Milan, Italy, ¹⁶Department of Pharmacy, Izzak Walton Killam (IWK) Health, Halifax, NS, Canada, ¹⁷Faculty of Health Professions, Dalhousie University, Halifax, NS, Canada, ¹⁸Child Health Evaluative Sciences, Research Institute, The Hospital for Sick Children, Toronto, ON, Canada

KEYWORDS

oncology, pediatrics, risk factors, early second malignant neoplasm (early SMN), Canada, surveillance

A Corrigendum on

Second malignant neoplasms within 5 years from first primary diagnosis in pediatric oncology patients in Canada: a population-based retrospective cohort study

By Ricci C, Subburaj D, Lim K, Shukla N, Kaur J, Xie L, Laverty M, Zakaria D, Pole J, Pelland-Marcotte M-C, Barber R, Israels SJ, Tran T-H, Oberoi S, Renzi S, MacDonald T, Sung L and Kulkarni K (2024). *Front. Oncol.* 14:1376652. doi: 10.3389/fonc.2024.1376652

In the published article, there was an error in the legend for Figure 5 to 7 as published. Currently it stated "This hazard ratio has been suppressed because less than 5 patients have the characteristic." The corrected legend appears below.

"I indicates this hazard ratio has been suppressed because less than 5 patients have the characteristic."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.






FIGURE 5

Forest plot depicting the variables and adjusted hazard ratio for SMN. I indicates this hazard ratio has been suppressed because less than 5 patients have the characteristic.



Forest plot depicting the variables and adjusted hazard ratio for SMN developed within 0-2 years. I indicates this hazard ratio has been suppressed because less than 5 patients have the characteristic.



Forest plot depicting the variables and adjusted hazard ratio for SMN developed within 2-5 years. I indicates this hazard ratio has been suppressed because less than 5 patients have the characteristic.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.