frontiers | Frontiers in Oncology

TYPE Correction
PUBLISHED 01 August 2024
DOI 10.3389/fonc.2024.1449082

OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Ana Cravo Sá
anacravosa@ctn.tecnico.ulisboa.pt

RECEIVED 14 June 2024
ACCEPTED 26 July 2024
PUBLISHED 01 August 2024

CITATION
Sá AC, Barateiro A, Bednarz BP, Almeida P, Vaz P and Madaleno T (2024) Corrigendum: Comparison of 3DCRT and IMRT out-of-field doses in pediatric patients using Monte Carlo simulations with treatment planning system calculations and measurements.
Front. Oncol. 14:1449082.
doi: 10.3389/fonc.2024.1449082

Corrigendum: Comparison of 3DCRT and IMRT out-of-field doses in pediatric patients using Monte Carlo simulations with treatment planning system calculations and measurements

Ana Cravo Sá[1,2,3]*, Andreia Barateiro[4], Bryan P. Bednarz[5], Pedro Almeida[3], Pedro Vaz[1] and Tiago Madaleno[4]

[1]Radiation Protection and Safety Group, Centro de Ciências e Tecnologias Nucleares (C2TN), Bobadela, Portugal, [2]Diagnostic, Therapeutic and Public Health Sciences Department, Escola Superior de Tecnologia da Saúde de Lisboa (ESTeSL), Lisbon, Portugal, [3]Instituto de Biofísica e Engenharia Biomédica, Faculdade de Ciências, Universidade de Lisboa, Lisbon, Portugal, [4]Radiotherapy Department, Portuguese Institute of Oncology Francisco Gentil, Lisbon, Portugal, [5]Department of Medical Physics, Wisconsin Institutes for Medical Research, University of Wisconsin Hospital and Clinics, Madison, WI, United States

KEYWORDS

radiotherapy planning, out-of-field dose, pediatric tumors, Monte Carlo simulations, computational voxel phantoms, IMRT, 3DCRT

A Corrigendum on

Comparison of 3DCRT and IMRT out-of-field doses in pediatric patients using Monte Carlo simulations with treatment planning system calculations and measurements

By Sá AC, Barateiro A, Bednarz BP, Almeida P, Vaz P and Madaleno T (2022). *Front. Oncol.* 12:879167. doi: 10.3389/fonc.2022.879167

In the published article, there was an error in the Funding statement. The authors have incorrectly entered the wrong contract code. The correct Funding statement appears below.

Funding

This research was partially funded by Fundação para a Ciência e Tecnologia (FCT)/ Portugal through the contract UIDB/04349/2020).

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note