



OPEN ACCESS

EDITED AND REVIEWED BY
Ibrahim F. Shatat,
Sidra Medicine, Qatar

*CORRESPONDENCE

Rupesh Raina
rraina@akronchildrens.org;
raina@akronnephrology.com

SPECIALTY SECTION

This article was submitted to
Pediatric Nephrology,
a section of the journal
Frontiers in Pediatrics

RECEIVED 25 July 2022

ACCEPTED 27 July 2022

PUBLISHED 12 August 2022

CITATION

Raina R, Sethi SK, Filler G, Menon S,
Mittal A, Khooblall A, Khooblall P,
Chakraborty R, Adnani H,
Vijayvargiya N, Teo S, Bhatt G, Koh LJ,
Mourani C, de Sousa Tavares M,
Alhasan K, Forbes M, Dhaliwal M,
Raghunathan V, Broering D, Sultana A,
Montini G, Brophy P, McCulloch M,
Bunchman T, Yap HK, Topalglu R and
Díaz-González de Ferris M (2022)
Corrigendum: PCRRT Expert
Committee ICONIC position paper on
prescribing kidney replacement
therapy in critically sick children with
acute liver failure.
Front. Pediatr. 10:1002287.
doi: 10.3389/fped.2022.1002287

COPYRIGHT

© 2022 Raina, Sethi, Filler, Menon,
Mittal, Khooblall, Khooblall,
Chakraborty, Adnani, Vijayvargiya, Teo,
Bhatt, Koh, Mourani, de Sousa Tavares,
Alhasan, Forbes, Dhaliwal,
Raghunathan, Broering, Sultana,
Montini, Brophy, McCulloch,
Bunchman, Yap, Topalglu and
Díaz-González de Ferris. This is an
open-access article distributed under
the terms of the [Creative Commons
Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use,
distribution or reproduction in other
forums is permitted, provided the
original author(s) and the copyright
owner(s) are credited and that the
original publication in this journal is
cited, in accordance with accepted
academic practice. No use, distribution
or reproduction is permitted which
does not comply with these terms.

Corrigendum: PCRRT Expert Committee ICONIC position paper on prescribing kidney replacement therapy in critically sick children with acute liver failure

Rupesh Raina^{1,2*}, Sidharth K. Sethi³, Guido Filler⁴,
Shina Menon⁵, Aliza Mittal⁶, Amrit Khooblall^{1,2,7},
Prajit Khooblall^{7,8}, Ronith Chakraborty^{1,2,7}, Harsha Adnani⁹,
Nina Vijayvargiya^{1,7}, Sharon Teo¹⁰, Girish Bhatt¹¹,
Lee Jin Koh¹², Chebl Mourani¹³, Marcelo de Sousa Tavares¹⁴,
Khalid Alhasan¹⁵, Michael Forbes¹⁶, Maninder Dhaliwal¹⁷,
Veena Raghunathan¹⁷, Dieter Broering¹⁸, Azmeri Sultana¹⁹,
Giovanni Montini^{20,21}, Patrick Brophy²², Mignon McCulloch²³,
Timothy Bunchman²⁴, Hui Kim Yap^{10,25}, Rezan Topalglu²⁶ and
Maria Díaz-González de Ferris²⁷

¹Cleveland Clinic Akron General Medical Center, Akron, OH, United States, ²Department of Nephrology, Akron Children's Hospital, Akron, OH, United States, ³Kidney and Renal Transplant Institute, Medanta, The Medicity Hospital, Gurgaon, India, ⁴Division of Paediatric Nephrology, Department of Paediatrics, Western University, London, ON, Canada, ⁵Division of Pediatric Nephrology, Department of Pediatrics, Seattle Children's Hospital, University of Washington School of Medicine, Seattle, WA, United States, ⁶Department of Pediatrics, All India Institute of Medical Sciences, Jodhpur, India, ⁷Akron Nephrology Associates, Akron, OH, United States, ⁸Department of Medicine, Northeast Ohio Medical University, Rootstown, OH, United States, ⁹Anne Arundel Medical Center, Annapolis, MD, United States, ¹⁰Khoo Teck Puat-National University Children's Medical Institute, National University Hospital, Singapore, Singapore, ¹¹Department of Pediatrics, ISN-SRC, Pediatric Nephrology, All India Institute of Medical Sciences (AIIMS), Bhopal, India, ¹²Department of Paediatric Nephrology, Starship Children's Hospital, Auckland, New Zealand, ¹³Pediatrics, Hôtel-Dieu de France Hospital (HDF), Beirut, Lebanon, ¹⁴Pediatric Nephrology Unit, Santa Casa de Belo Horizonte, Belo Horizonte, Brazil, ¹⁵Pediatric Nephrology, King Saud University College of Medicine, Riyadh, Saudi Arabia, ¹⁶Department of Pediatric Critical Care, Akron Children's Hospital, Akron, OH, United States, ¹⁷Department of Pediatric Critical Care, Institute of Liver Transplantation and Regenerative Medicine, Medanta, The Medicity, Gurgaon, India, ¹⁸Klinik für Allgemeine und Thoraxchirurgie, Universitätsklinikum Schleswig-Holstein, Kiel, Germany, ¹⁹Department of Pediatric Nephrology, Dr. M R Khan Shishu Hospital & Institute of Child Health, Dhaka, Bangladesh, ²⁰Pediatric Nephrology, Dialysis and Transplant Unit, Fondazione Istituto di Ricerca e Cura a Carattere Scientifico Cà Granda, Ospedale Maggiore Policlinico, Milan, Italy, ²¹Department of Clinical Sciences and Community Health, University of Milan, Milan, Italy, ²²Department of Pediatrics, University of Rochester School of Medicine, Rochester, NY, United States, ²³Red Cross War Memorial Children's Hospital, University of Cape Town, Cape Town, South Africa, ²⁴Pediatric Nephrology and Transplantation, Children's Hospital of Richmond, Virginia Commonwealth University (VCU), Richmond, VA, United States, ²⁵Department of Pediatrics, Yong Loo Lin School of Medicine, National University of Singapore, Singapore, Singapore, ²⁶Department of Pediatric Nephrology, School of Medicine, Hacettepe University, Ankara, Turkey, ²⁷Department of Pediatrics, University of North Carolina School of Medicine, Chapel Hill, NC, United States

KEYWORDS

pediatric, PALF, acute liver failure (ALF), acute kidney injury (AKI), ALF

A corrigendum on

PCRRT Expert Committee ICONIC position paper on prescribing kidney replacement therapy in critically sick children with acute liver failure

by Raina R, Sethi SK, Filler G, Menon S, Mittal A, Khooblall A, Khooblall P, Chakraborty R, Adnani H, Vijayvargiya N, Teo S, Bhatt G, Koh LJ, Mourani C, de Sousa Tavares M, Alhasan K, Forbes M, Dhaliwal M, Raghunathan V, Broering D, Sultana A, Montini G, Brophy P, McCulloch M, Bunchman T, Yap HK, Topalglu R and Díaz-González de Ferris M. (2022). *Front. Pediatr.* 9:833205. doi: 10.3389/fped.2021.833205

In the published article, there was a sentence missing in Table 1, the original and corrected sentences are provided as below.

It was changed from “If patient is in need of ongoing resuscitation with fluids, inotropes, and/or vasopressors, the

panel suggests a 1–2 mg/kg/dose of hydrocortisone administered six times per hour.” to “If patient is in need of ongoing resuscitation with fluids, inotropes, and/or vasopressors, the panel suggests a 1–2 mg/kg/dose of hydrocortisone administered every 6 h. It is recommended in ALF in multi-organ failure with relative adrenal insufficiency.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.