



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Carol K. S. To
✉ tokitsum@hku.hk

RECEIVED 05 September 2023

ACCEPTED 13 September 2023

PUBLISHED 22 September 2023

CITATION

So KKH and To CKS (2023) Corrigendum:
Systematic review and meta-analysis of
screening tools for language disorder.
Front. Pediatr. 11:1288921.
doi: 10.3389/fped.2023.1288921

COPYRIGHT

© 2023 So and To. This is an open-access
article distributed under the terms of the
[Creative Commons Attribution License \(CC BY\)](#).
The use, distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in this
journal is cited, in accordance with accepted
academic practice. No use, distribution or
reproduction is permitted which does not
comply with these terms.

Corrigendum: Systematic review and meta-analysis of screening tools for language disorder

Kevin K. H. So and Carol K. S. To*

Academic Unit of Human Communication, Development, and Information Sciences, Faculty of Education,
The University of Hong Kong, Hong Kong, Hong Kong SAR, China

KEYWORDS

surveillance, screening, language disorder, PRISMA review, meta-analysis, summary
receiver-operating characteristics, meta-regression

A Corrigendum on Systematic review and meta-analysis of screening tools for language disorder

By So KKH and To CKS (2022). Front. Pediatr. 10:801220. doi: 10.3389/fped.2022.801220

In the published article, the name of one of the authors was incorrectly spelled in the reference 87, the author name has been changed from Lagerbere D. to Lagerberg D. The corrected reference appears below.

“Nayeb L, Lagerberg D, Westerlund M, Sarkadi A, Lucas S, Eriksson M. Modifying a language screening tool for three-year-old children identified severe language disorders six months earlier. *Acta Paediatrica*. (2019) 108:1642–8. doi: 10.1111/apa.14790”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.