



OPEN ACCESS

EDITED BY

André Hörning,
University Hospital Erlangen, Germany

*CORRESPONDENCE

Jan Däbritz

✉ jan.daebritz@med.uni-greifswald.de

[†]These authors have contributed equally to this work

RECEIVED 20 April 2024

ACCEPTED 29 April 2024

PUBLISHED 08 May 2024

CITATION

Wirthgen E, Weber F, Kubickova-Weber L, Schiller B, Schiller S, Radke M and Däbritz J (2024) Corrigendum: Identifying predictors of clinical outcomes using the projection-predictive feature selection—a proof of concept on the example of Crohn's disease. *Front. Pediatr.* 12:1420531. doi: 10.3389/fped.2024.1420531

COPYRIGHT

© 2024 Wirthgen, Weber, Kubickova-Weber, Schiller, Schiller, Radke and Däbritz. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Identifying predictors of clinical outcomes using the projection-predictive feature selection—a proof of concept on the example of Crohn's disease

Elisa Wirthgen^{1†}, Frank Weber^{2†}, Laura Kubickova-Weber³, Benjamin Schiller⁴, Sarah Schiller⁴, Michael Radke⁴ and Jan Däbritz^{1,4,5*}

¹Department of Pediatrics, Rostock University Medical Center, Rostock, Germany, ²Institute for Biostatistics and Informatics in Medicine and Ageing Research, Rostock University Medical Center, Rostock, Germany, ³Medical School, University of Rostock, Rostock, Germany, ⁴Department of Pediatrics, Pediatric Gastroenterology, Rostock University Medical Center, Rostock, Germany, ⁵Department of Pediatrics, Greifswald University Medical Center, Greifswald, Germany

KEYWORDS

inflammatory bowel disease, endoscopy, calprotectin, C-reactive protein, monitoring, Bayesian, ordinal regression model, shiny application

A Corrigendum on

Identifying predictors of clinical outcomes using the projection-predictive feature selection—a proof of concept on the example of Crohn's disease

By Wirthgen E, Weber F, Kubickova-Weber L, Schiller B, Schiller S, Radke M, Däbritz J. (2023) Identifying predictors of clinical outcomes using the projection-predictive feature selection—a proof of concept on the example of Crohn's disease. *Front Pediatr* 11:1170563. doi: 10.3389/fped.2023.1170563

In the published article, there was an error in the Supplementary Material (Data Sheet 1). The source code mentioned in the “Data Availability Statement” has been corrected in the Open Science Framework (OSF) at <https://doi.org/10.17605/OSF.IO/EMWGP>. This correction of the source code affects a number mentioned in the Supplementary Material (section “2.1 Reference model”, page 6): “The refit for this single visit (see section 1.4 here in the Supplementary Appendix) was successful, yielding an estimate for the effective number of parameters of approximately 38.6, which is much smaller than the number of visits (131, after exclusion of visits with missing values) and the total number of model parameters (118), as desired.” The correct material statement appears below.

“The refit for this single visit (see section 1.4 here in the Supplementary Appendix) was successful, yielding an estimate for the effective number of parameters of

approximately 38.6, which is much smaller than the number of visits (131, after exclusion of visits with missing values) and the total number of model parameters (143), as desired.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original Supplementary Material of the article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.