



OPEN ACCESS

Edited by:

Patrizia Ballerini,
University of Studies G. d'Annunzio
Chieti and Pescara, Italy

Reviewed by:

Satish Ramalingam,
SRM Institute of Science and
Technology, India

***Correspondence:**

Chen Xiao
sirchenxiao@126.com
Su Jiacan
drsujiacan@163.com

†These authors have contributed
equally to this work

Specialty section:

This article was submitted to
Inflammation Pharmacology,
a section of the journal
Frontiers in Pharmacology

Received: 15 September 2020

Accepted: 08 February 2021

Published: 29 March 2021

Citation:

Xin Z, Jin C, Chao L, Zheng Z, Liehu C,
Panpan P, Weizong W, Xiao Z,
Qingjie Z, Honggang H, Longjuan Q,
Xiao C and Jiacan S (2021)
Corrigendum: A Matrine Derivative
M54 Suppresses Osteoclastogenesis
and Prevents Ovariectomy-Induced
Bone Loss by Targeting Ribosomal
Protein S5.
Front. Pharmacol. 12:6055921.
doi: 10.3389/fphar.2021.605592

RETRACTED: Corrigendum: A Matrine Derivative M54 Suppresses Osteoclastogenesis and Prevents Ovariectomy-Induced Bone Loss by Targeting Ribosomal Protein S5

Zhi Xin^{1†}, Cui Jin^{1†}, Liu Chao^{2†}, Zhang Zheng¹, Cao Liehu^{3,4}, Pan Panpan^{3,4},
Weng Weizong^{3,4}, Zhai Xiao³, Zhao Qingjie², Hu Honggang², Qin Longjuan⁵, Chen Xiao^{3,4*}
and Su Jiacan^{3,4*}

¹Graduate Management Unit, Shanghai Changhai Hospital, Second Military Medical University, Shanghai, China, ²School of Pharmacy, Second Military Medical University, Shanghai, China, ³Department of Orthopedics, Shanghai Changhai Hospital, Second Military Medical University, Shanghai, China, ⁴China-South Korea Bioengineering Center, Shanghai, China, ⁵Orthopedic Basic and Translational Research Center, Jiangyin, China

Keywords: RPS5, matrine derivative, RANKL, osteoclasts, AKT pathway

A Corrigendum on

A Matrine Derivative M54 Suppresses Osteoclastogenesis and Prevents Ovariectomy-Induced Bone Loss by Targeting Ribosomal Protein S5

by Zhi, X., Cui, J., Liu, C., Zhang, Z., Cao, L., Pan, P., Weng, W., Zhai, X., Zhao, Q., Hu, H., Qin, L., Chen, X., and Su, J. (2018). *Front. Pharmacol.* 9:22. doi: 10.3389/fphar.2018.00022

In the original article, there were mistakes in **Figures 1C, 6C** as published. In Figure 1C, the original image of RANKL induced group was mistakenly selected. **Figure 1C** is now replaced with the right image. In **Figure 6C**, the original image of OVX group was wrongly selected. **Figure 6C** is now replaced with the right image. The corrected **Figures 1C, 6C** appear below.

The authors apologize for these errors and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2021 Xin, Jin, Chao, Zheng, Liehu, Panpan, Weizong, Xiao, Qingjie, Honggang, Longjuan, Xiao and Jiacan. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.




FIGURE 1 | M54 inhibits RANKL-induced osteoclast differentiation and bone resorption in vitro. **(A)** Chemical structure of M54 and the synthesis process. **(B)** Formation of TRAP-positive cells from BMSCs and the quantification of formed osteoclasts. **(C)** Formation of TRAP-positive cells from RAW264.7 cells and the quantification of formed osteoclasts. **(D)** The resorption area on the bone biomimetic synthetic surface was quantified by image analysis ($p < 0.05$, $**p < 0.01$, $***p < 0.001$).




FIGURE 6 | M54 prevents ovariectomy-induced bone loss in vivo. **(A)** Representative H&E staining of distal femoral sections and quantification of trabecular area from each group 6 week after the operation (×40). **(B)** Representative TRAP-stained histologic distal femur sections from sham, OVX and OVX + M54 group (×400). **(C)** Micro CT analysis of the distal femur from sham, OVX, and OVX + M54 group. **(D)** Calculations of bone value/total value (BV/TV), trabecular number (Tb.N), bone mineral density (BMD), and bone surface area/total value (BS/TV). **(E)** Serum TRAcP5B, TNF- α , and IL-6 were examined (* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$).