

OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA,
Switzerland

*CORRESPONDENCE Feng Xu, ⋈ xuf@smu.edu.cn

RECEIVED 11 October 2023 ACCEPTED 13 October 2023 PUBLISHED 09 November 2023

CITATION

Li C, Cai Q, Su Z, Chen Z, Cao J and Xu F (2023), Corrigendum: Could peripheral 5-HT level be used as a biomarker for depression diagnosis and treatment? A narrative minireview.

Front. Pharmacol. 14:1318433.

doi: 10.3389/fphar.2023.1318433

COPYRIGHT

© 2023 Li, Cai, Su, Chen, Cao and Xu. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY).

The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Could peripheral 5-HT level be used as a biomarker for depression diagnosis and treatment? A narrative minireview

Canye Li¹, Qiming Cai², Zuanjun Su¹, Zhicong Chen¹, Jinming Cao¹ and Feng Xu^{1,2}*

¹Fengxian Hospital, Southern Medical University, Shanghai, China, ²Sixth People's Hospital South Campus, Shanghai Jiaotong University, Shanghai, China

KEYWORDS

5-HT, peripheral, depression, biomarker, plasma, platelet

A Corrigendum on

Could peripheral 5-HT level be used as a biomarker for depression diagnosis and treatment? A narrative minireview

by Li C, Cai Q, Su Z, Chen Z, Cao J and Xu F (2023). Front. Pharmacol. 14:1149511. doi: 10.3389/fphar.2023.1149511

In the published article, there was an error in **Affiliation** 1. Instead of "School of Pharmaceutical Sciences, Southern Medical University, Guangzhou, China." it should be "Fengxian Hospital, Southern Medical University, Shanghai, China".

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.