



Corrigendum: Physiological and Biochemical Effects of Intrinsically High and Low Exercise Capacities Through Multiomics Approaches

Yu-Tang Tung^{1,2,3}, Yi-Ju Hsu⁴, Chen-Chung Liao⁵, Shang-Tse Ho⁶, Chi-Chang Huang^{1,4*} and Wen-Ching Huang^{7*}

OPEN ACCESS

Edited and reviewed by:

Vassilis Mougios,
Aristotle University of
Thessaloniki, Greece

*Correspondence:

Chi-Chang Huang
john5523@ntsu.edu.tw
Wen-Ching Huang
wenching@ntunhs.edu.tw

Specialty section:

This article was submitted to
Exercise Physiology,
a section of the journal
Frontiers in Physiology

Received: 21 September 2019

Accepted: 03 October 2019

Published: 17 October 2019

Citation:

Tung Y-T, Hsu Y-J, Liao C-C, Ho S-T,
Huang C-C and Huang W-C (2019)
Corrigendum: Physiological and
Biochemical Effects of Intrinsically
High and Low Exercise Capacities
Through Multiomics Approaches.
Front. Physiol. 10:1327.
doi: 10.3389/fphys.2019.01327

¹ Graduate Institute of Metabolism and Obesity Sciences, Taipei Medical University, Taipei, Taiwan, ² Nutrition Research Center, Taipei Medical University Hospital, Taipei, Taiwan, ³ Cell Physiology and Molecular Image Research Center, Wan Fang Hospital, Taipei Medical University, Taipei, Taiwan, ⁴ Graduate Institute of Sports Science, National Taiwan Sport University, Taoyuan City, Taiwan, ⁵ Proteomics Research Center, National Yang-Ming University, Taipei, Taiwan, ⁶ Agricultural Biotechnology Research Center, Academia Sinica, Taipei, Taiwan, ⁷ Department of Exercise and Health Science, National Taipei University of Nursing and Health Sciences, Taipei, Taiwan

Keywords: intrinsic exercise capacity, physical activities, gut microbiota, transcriptome, proteome

A Corrigendum on

Physiological and Biochemical Effects of Intrinsically High and Low Exercise Capacities Through Multiomics Approaches

by Tung, Y.-T., Hsu, Y.-J., Liao, C.-C., Ho, S.-T., Huang, C.-C., and Huang, W.-C. (2019). *Front. Physiol.* 10:1201. doi: 10.3389/fphys.2019.01201

In the original article, there was a mistake in **Figure 5** as published. The incorrect Figure 5 was erroneously uploaded at submission. Furthermore, all data should be represented as mean with SD, however, the original Figure 5 shows mean with SEM. Lastly, the statistical results in the original Figure 5 are correct, however, the way in which it is displayed is incorrect. The statistical letters should start from a, b, and c according to the mean average. The corrected **Figure 5** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2019 Tung, Hsu, Liao, Ho, Huang and Huang. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.




FIGURE 5 | The oral glucose tolerance test was performed in mice with various exercise capacities at the same glucose dosage (2 g/kg) after 14 h of fasting. The indicated sampling times (0, 15, 30, 60, and 120 min) were plotted as the tolerance curve. Data are presented as mean \pm standard deviation for 15 mice in each group. Different letters (a,b,c) indicate a significant difference at $p < 0.05$ using one-way ANOVA.