



Corrigendum: Comparison of Newtonian and Non-newtonian Fluid Models in Blood Flow Simulation in Patients With Intracranial Arterial Stenosis

Haipeng Liu^{1,2,3}, Linfang Lan¹, Jill Abrigo², Hing Lung Ip¹, Yannie Soo¹, Dingchang Zheng³, Ka Sing Wong¹, Defeng Wang², Lin Shi^{2*}, Thomas W. Leung¹ and Xinyi Leng^{1,4*}

¹ Department of Medicine and Therapeutics, The Chinese University of Hong Kong, Hong Kong, China, ² Department of Imaging and Interventional Radiology, The Chinese University of Hong Kong, Hong Kong, China, ³ Research Centre for Intelligent Healthcare, Coventry University, Coventry, United Kingdom, ⁴ Shenzhen Research Institute, The Chinese University of Hong Kong, Shenzhen, China

OPEN ACCESS

Approved by:

Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*Correspondence:

Xinyi Leng
xinyi_leng@cuhk.edu.hk
Lin Shi
shilin@cuhk.edu.hk

Specialty section:

This article was submitted to
Computational Physiology and
Medicine,
a section of the journal
Frontiers in Physiology

Received: 24 September 2021

Accepted: 28 September 2021

Published: 19 October 2021

Citation:

Liu H, Lan L, Abrigo J, Ip HL, Soo Y, Zheng D, Wong KS, Wang D, Shi L, Leung TW and Leng X (2021) Corrigendum: Comparison of Newtonian and Non-newtonian Fluid Models in Blood Flow Simulation in Patients With Intracranial Arterial Stenosis. *Front. Physiol.* 12:782647. doi: 10.3389/fphys.2021.782647

Keywords: non-Newtonian fluid, intracranial atherosclerotic stenosis, computational fluid dynamics, translesional pressure ratio, wall shear stress

A Corrigendum on

Comparison of Newtonian and Non-newtonian Fluid Models in Blood Flow Simulation in Patients With Intracranial Arterial Stenosis

by Liu, H., Lan, L., Abrigo, J., Ip, H. L., Soo, Y., Zheng, D., Wong, K. S., Wang, D., Shi, L., Leung, T. W., and Leng, X. (2021). *Front. Physiol.* 12:718540. doi: 10.3389/fphys.2021.718540

In the published article, there was an error regarding the affiliations for Dr. Xinyi Leng. As well as having affiliation 1, Dr. Leng should also have “4. Shenzhen Research Institute, The Chinese University of Hong Kong, Shenzhen, China”.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2021 Liu, Lan, Abrigo, Ip, Soo, Zheng, Wong, Wang, Shi, Leung and Leng. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.