



OPEN ACCESS

EDITED AND REVIEWED BY
Chun Y. Seow,
University of British Columbia, Canada

*CORRESPONDENCE
Pixin Ran,
✉ pxran@gzhmu.edu.cn
Yumin Zhou,
✉ zhouyumin410@126.com

[†]These authors have contributed equally to this work


SPECIALTY SECTION
This article was submitted to Respiratory Physiology and Pathophysiology, a section of the journal Frontiers in Physiology

RECEIVED 15 December 2022
ACCEPTED 20 December 2022
PUBLISHED 10 January 2023

CITATION
Lu L, Peng J, Zhao N, Wu F, Tian H, Yang H, Deng Z, Wang Z, Xiao S, Wen X, Zheng Y, Dai C, Wu X, Zhou K, Ran P and Zhou Y (2023), Corrigendum: Discordant spirometry and impulse oscillometry assessments in the diagnosis of small airway dysfunction.
Front. Physiol. 13:1124823.
doi: 10.3389/fphys.2022.1124823

COPYRIGHT
© 2023 Lu, Peng, Zhao, Wu, Tian, Yang, Deng, Wang, Xiao, Wen, Zheng, Dai, Wu, Zhou, Ran and Zhou. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Discordant spirometry and impulse oscillometry assessments in the diagnosis of small airway dysfunction

Lifei Lu^{1†}, Jieqi Peng^{1†}, Ningning Zhao^{1†}, Fan Wu^{1,2}, Heshen Tian¹, Huajing Yang¹, Zhishan Deng¹, Zihui Wang¹, Shan Xiao¹, Xiang Wen¹, Youlan Zheng¹, Cuiqiong Dai¹, Xiaohui Wu¹, Kunning Zhou¹, Pixin Ran^{1,2*} and Yumin Zhou ^{1,2*}

¹National Center for Respiratory Medicine, State Key Laboratory of Respiratory Disease, National Clinical Research Center for Respiratory Disease, Guangzhou Institute of Respiratory Health, The First Affiliated Hospital of Guangzhou Medical University, Guangzhou, China, ²Guangzhou Laboratory, Guangzhou, China

KEYWORDS

spirometry, impulse oscillometry, small airway dysfunction, COPD, computed tomography

A Corrigendum on:

Discordant spirometry and impulse oscillometry assessments in the diagnosis of small airway dysfunction

by Lu L, Peng J, Zhao N, Wu F, Tian H, Yang H, Deng Z, Wang Z, Xiao S, Wen X, Zheng Y, Dai C, Wu X, Zhou K, Ran P and Zhou Y (2022). *Front. Physiol.* 10:892448. doi: 10.3389/fphys.2022.892448

In the published article, there was an error in **Figure 1** as published, as it is not consistent with the result description. The corrected **Figure 1** appears below:

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.




FIGURE 1

Factors associated with discordance (multivariable logistic regression) adjusted analysis comparing IOS-only SAD and spirometry-only SAD in all subjects adjusted for age, sex, BMI, smoking status, and smoking index. Abbreviations: OR, odds ratio; BMI, body mass index.