



Addendum: The Effect of Green Synthesized CuO Nanoparticles on Callogenesis and Regeneration of *Oryza sativa* L.

Sadaf Anwaar¹, Qaisar Maqbool^{2,3*}, Nyla Jabeen^{1*}, Mudassar Nazar², Fazal Abbas^{3,4}, Bushra Nawaz⁵, Talib Hussain⁶ and Syed Z. Hussain⁷

¹ Department of Biotechnology and Bioinformatics, International Islamic University Islamabad, Islamabad, Pakistan,

² Department of Biotechnology, Virtual University of Pakistan, Lahore, Pakistan, ³ Interdisciplinary Research Organization, University of Chakwal, Chakwal, Pakistan, ⁴ Department of Physics, International Islamic University Islamabad, Islamabad, Pakistan, ⁵ Department of Mechatronics, University of Engineering and Technology Taxila, Chakwal, Pakistan, ⁶ National Institute of Vacuum Science and Technology, Islamabad, Pakistan, ⁷ Department of Biological Sciences, Quaid-i-Azam University, Islamabad, Pakistan

OPEN ACCESS

Edited by:

Agnieszka Ludwików,
Adam Mickiewicz University, Poland

Reviewed by:

Taras P. Pasternak,
University of Freiburg, Germany

*Correspondence:

Qaisar Maqbool
qaisar.vu@gmail.com
Nyla Jabeen
nyla.iui@gmail.com;
nyla.jabeen@iiu.edu.pk

Specialty section:

This article was submitted to
Plant Biotechnology,
a section of the journal
Frontiers in Plant Science

Received: 09 March 2020

Accepted: 08 April 2020

Published: 06 May 2020

Citation:

Anwaar S, Maqbool Q, Jabeen N,
Nazar M, Abbas F, Nawaz B,
Hussain T and Hussain SZ (2020)
Addendum: The Effect of Green
Synthesized CuO Nanoparticles on
Callogenesis and Regeneration of
Oryza sativa L.
Front. Plant Sci. 11:540.
doi: 10.3389/fpls.2020.00540

Keywords: copper oxide nanoparticles, SEM, XRD, FTIR, callus induction, regeneration

An Addendum on

The Effect of Green Synthesized CuO Nanoparticles on Callogenesis and Regeneration of *Oryza sativa* L.

by Anwaar, S., Maqbool, Q., Jabeen, N., Nazar, M., Abbas, F., Nawaz, B., et al. (2016). *Front. Plant Sci.* 7:1330. doi: 10.3389/fpls.2016.01330

In the original article, the graph shown in FTIR spectrum analysis of bio-fabricated CuO-NPs (Figure 4) was plotted using a set of key data points (height vs. peaks) obtained from SHIMADZU™ FTIR scan, as shown in **Figure 1** below. However, the FTIR plot (Figure 4) generated using data points alone without presenting the original SHIMADZU™ FTIR scan does not satisfy the plotting curve and complete information about FTIR analysis of CuO-NPs.

In order to provide a clear understanding of FTIR analysis of CuO-NPs, the FTIR scan showing the original FTIR plot as well as data points will be considered additionally, as shown in **Figure 1** below. Furthermore, the underlining text about FTIR analysis in the Results section, subsection Characterization of Prepared CuO-NPs and the Discussion section, subsection Characterization Analysis of CuO-NPs will remained unchanged. In addition to this, and for the detailed understanding of the readers, the plotting video of FTIR spectrum (Figure 4) has been added as Supplementary Material.

Copyright © 2020 Anwaar, Maqbool, Jabeen, Nazar, Abbas, Nawaz, Hussain and Hussain. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

