

### **OPEN ACCESS**

EDITED AND REVIEWED BY Ravi Philip Rajkumar, Jawaharlal Institute of Postgraduate Medical Education and Research (JIPMER), India

\*CORRESPONDENCE
Dan Shan
D.shan6@nuigalway.ie

<sup>†</sup>These authors have contributed equally to this work

### SPECIALTY SECTION

This article was submitted to Anxiety and Stress Disorders, a section of the journal Frontiers in Psychiatry

RECEIVED 07 September 2022 ACCEPTED 14 September 2022 PUBLISHED 06 October 2022

### CITATION

Shan D, Liu C, Li S and Zheng Y (2022) Corrigendum: Increased anxiety from fear of Omicron in China as compared to North America and Western Europe: A cross-sectional Kendall's tau-b analysis using the generalized anxiety disorder 7-item questionnaire. Front. Psychiatry 13:1038966. doi: 10.3389/fpsyt.2022.1038966

© 2022 Shan, Liu, Li and Zheng. This is an open-access article distributed

# CODVDICIT

under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Corrigendum: Increased anxiety from fear of Omicron in China as compared to North America and Western Europe: A cross-sectional Kendall's tau-b analysis using the generalized anxiety disorder 7-item questionnaire

Dan Shan<sup>1\*†</sup>, Chang Liu<sup>2†</sup>, Shaoyang Li<sup>3†</sup> and Yuandian Zheng<sup>4</sup>

<sup>1</sup>School of Medicine, National University of Ireland, Galway, Ireland, <sup>2</sup>School of Clinical Medicine, University of Cambridge, Cambridge, United Kingdom, <sup>3</sup>Faculty of Science, The Hong Kong Polytechnic University, Hong Kong, Hong Kong SAR, China, <sup>4</sup>College of Osteopathic Medicine, Kansas City University, Kansas City, MO, United States

KEYWORDS

anxiety, COVID-19, Omicron, pandemic, sequelae

# A corrigendum on

Increased anxiety from fear of Omicron in China as compared to North America and Western Europe: A cross-sectional Kendall's tau-b analysis using the generalized anxiety disorder 7-item questionnaire

by Shan, D., Liu, C., Li, S., and Zheng, Y. (2022). Front. Psychiatry 13:977361. doi: 10.3389/fpsyt.2022.977361

In the original article, there was a statistical error in the **Materials and Methods** section, page 4. The text read as "Eventually, a valid sample of 1,500 participants was analyzed collectively (892 females and 192 males; mean age = 26.74 years, SD = 3.81 years; age range: 18-34 years)." The statement has been corrected as follows:

"Eventually, a valid sample of 1,500 participants was analyzed collectively (688 females and 812 males; mean age = 26.74 years, SD = 3.81 years; age range: 18–34 years)."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Shan et al. 10.3389/fpsyt.2022.1038966

# Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.