



OPEN ACCESS

EDITED AND REVIEWED BY

Heleen Riper,
VU Amsterdam, Netherlands

*CORRESPONDENCE

Annika Humbert
✉ AG-E-Mentalhealth@medizin.uni-leipzig.de

RECEIVED 19 December 2023

ACCEPTED 21 December 2023

PUBLISHED 04 January 2024

CITATION

Humbert A, Kohls E, Baldofski S, Epple C and Rummel-Kluge C (2024) Corrigendum: Acceptability, feasibility, and user satisfaction of a virtual reality relaxation intervention in a psychiatric outpatient setting during the COVID-19 pandemic.
Front. Psychiatry 14:1358379.
doi: 10.3389/fpsy.2023.1358379

COPYRIGHT

© 2024 Humbert, Kohls, Baldofski, Epple and Rummel-Kluge. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Acceptability, feasibility, and user satisfaction of a virtual reality relaxation intervention in a psychiatric outpatient setting during the COVID-19 pandemic

Annika Humbert^{1*}, Elisabeth Kohls^{1,2}, Sabrina Baldofski¹, Carola Epple³ and Christine Rummel-Kluge^{1,2}

¹Department of Psychiatry and Psychotherapy, Medical Faculty, Leipzig University, Leipzig, Germany,

²Department of Psychiatry and Psychotherapy, Leipzig University Medical Center, Leipzig, Germany,

³Lab E GmbH, Esslingen, Germany

KEYWORDS

virtual reality, relaxation, feasibility, psychiatric outpatients, mental

A corrigendum on

[Acceptability, feasibility, and user satisfaction of a virtual reality relaxation intervention in a psychiatric outpatient setting during the COVID-19 pandemic](#)

by Humbert, A., Kohls, E., Baldofski, S., Epple, C., and Rummel-Kluge, C. (2023). *Front. Psychiatry*. 14:1271702. doi: 10.3389/fpsy.2023.1271702

In the published article, there was an error in [Table 3](#) as published. Under the Intention-to-treat section there are missing the four scores of quality of life (WHOQOL-BREF scores) at T0. The corrected [Table 3](#) and its caption appear below.

In the published article, there was an error in the text. There were two sentences in the article in which numbers were falsely formatted as references.

First, a correction has been made to the section **2. Materials and methods, 2.5. Measures, 2.5.5. Depressive symptoms**. This sentence previously stated:

“In addition, sum scores were classified to represent different levels of severity of depressive symptoms from minimal (0–4), mild (5–9), moderate (10–14), moderately severe (15–19) to severe (20–27, 47).”

The corrected sentence appears below:

“In addition, sum scores were classified to represent different levels of severity of depressive symptoms from minimal, 0 to 4, mild, 5 to 9, moderate, 10 to 14, moderately severe, 15 to 19, to severe, 20 to 27 (47).”

Second, a correction has been made to the section **3. Results, 3.5. Depressive symptoms and quality of life**, paragraph 3. This sentence previously stated:

“However, social quality of life, $z = 1.38$, $p = 0.168$, $r = 0.26$ (small effect), and environmental quality of life, $t(28) = -0.63$, $p = 0.537$, $d_z = 0.12$ (small effect), did not differ significantly between T0 and T5 in the PP analysis (see [Table 3](#)).”

The corrected sentence appears below:

“However, social quality of life, $z = 1.38$, $p = 0.168$, $r = 0.26$ (small effect), and environmental quality of life, $t(28) = -0.63$, $p =$

0.537, $d_z = 0.12$ (small effect), did not differ significantly between T0 and T5 in the PP analysis (see [Table 3](#)).

In the published article, there was an error in [Figure 1](#) as published. The word “Recruitment” was corrected to “Recruitment”. The corrected [Figure 1](#) and its caption appear below.

The authors apologize for these errors and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher’s note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

TABLE 3 Results of baseline (T0) and post-intervention (T5) assessments.

Variable	T0 (n = 40)	T5 (n = 36)	p
Intention-to-treat (N = 40)			
Depressive symptoms (PHQ-9 scores)			
Minimal: 0–4, n (%)	1 (2.5)	3 (8.3)	
Mild: 5–9, n (%)	10 (25.0)	13 (36.1)	
Moderate: 10–14, n (%)	8 (20.0)	10 (27.8)	
Moderately severe: 15–19, n (%)	15 (37.5)	7 (19.4)	
Severe: 20–27, n (%)	6 (15.0)	3 (8.3)	
Sum score, M (SD)	14.13 (6.18)	10.86 (5.32)	<0.001
Quality of life (WHOQOL-BREF scores)			
Physical, M (SD)	52.58 (19.32)	56.05 (18.05)	0.079
Psychological, M (SD)	41.44 (19.47)	47.69 (19.40)	0.005
Social, M (SD)	53.70 (17.64)	56.94 (18.31)	0.217
Environmental, M (SD)	68.32 (14.35)	69.44 (16.13)	0.432
Credibility and expectancy (CEQ score)			
Credibility factor, M (SD)	19.90 (4.09)	18.48 (5.40)	.158
Expectancy factor, M (SD)	12.93 (3.33)	11.03 (6.10)	.022
	T0 (n = 29)	T5 (n = 29)	p
Per-protocol (N = 29)			
Depressive symptoms (PHQ-9 scores)			
Minimal: 0–4, n (%)	1 (3.4)	3 (10.3)	
Mild: 5–9, n (%)	6 (20.7)	10 (34.5)	
Moderate: 10–14, n (%)	8 (27.6)	9 (31.0)	
Moderately severe: 15–19, n (%)	10 (34.5)	5 (17.2)	
Severe: 20–27, n (%)	4 (13.8)	2 (6.9)	
Sum score, M (SD)	14.03 (6.12)	10.48 (5.12)	<0.001
Quality of life (WHOQOL-BREF scores)			
Physical, M (SD)	52.46 (19.04)	57.27 (17.74)	0.038
Psychological, M (SD)	42.67 (18.92)	50.29 (3.45)	0.002
Social, M (SD)	55.17 (17.74)	59.47 (18.99)	0.168
Environmental, M (SD)	68.43 (2.63)	69.50 (2.95)	0.537
Credibility and expectancy (CEQ score)			
Credibility factor, M (SD)	19.62 (3.96)	19.52 (4.87)	0.898
Expectancy factor, M (SD)	13.35 (3.33)	12.35 (6.00)	0.260

Calculation of % from valid cases.

