



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Ann M. Simon
✉ asimon@sralab.org

RECEIVED 06 December 2023
ACCEPTED 09 December 2023
PUBLISHED 21 December 2023

CITATION

Simon AM, Finucane SB, Ikeda AJ, Cotton RJ and Hargrove LJ (2023) Corrigendum: Powered knee and ankle prosthesis use with a K2 level ambulator: a case report. *Front. Rehabil. Sci.* 4:1351558. doi: 10.3389/fre.2023.1351558

COPYRIGHT

© 2023 Simon, Finucane, Ikeda, Cotton and Hargrove. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Powered knee and ankle prosthesis use with a K2 level ambulator: a case report

Ann M. Simon^{1,2*}, Suzanne B. Finucane¹, Andrea J. Ikeda¹, R. James Cotton^{1,2} and Levi J. Hargrove^{1,2,3}

¹Center for Bionic Medicine, Shirley Ryan AbilityLab, Chicago, IL, United States, ²Department of Physical Medicine and Rehabilitation, Northwestern University, Chicago, IL, United States, ³Department of Biomedical Engineering, Northwestern University, Evanston, IL, United States

KEYWORDS

above-knee amputation, artificial leg, older adult, physical therapy, prosthesis training, rehabilitation, robotic prosthesis, case report

A Corrigendum on Powered knee and ankle prosthesis use with a K2 level ambulator: a case report

By Simon AM, Finucane SB, Ikeda AJ, Cotton RJ and Hargrove LJ (2023). *Front. Rehabil. Sci.* 4:1203545. doi: 10.3389/fre.2023.1203545

Incorrect Funding

In the published article, there was a typo in the Funding statement. One funding agency had a typo stating incorrectly 'MLS Renewed Hope Foundation' instead of 'MSL Renewed Hope Foundation'. The full correct Funding statement appears below.

Funding

Funding for this study was provided by the National Institute on Disability, Independent Living, and Rehabilitation Research (NIDILRR grant number 90REGE0003). NIDILRR is a Center within the Administration for Community Living (ACL), Department of Health and Human Services (HHS). The contents of this article do not necessarily represent the policy of NIDILRR, ACL, or HHS, and you should not assume endorsement by the Federal Government. Funding was also provided by National Institute of Health (NIH) R01 HD079428-02 and the MSL Renewed Hope Foundation.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.