



## OPEN ACCESS

APPROVED BY  
Frontiers Editorial Office,  
Frontiers Media SA, Switzerland

## \*CORRESPONDENCE

N. C. Tan,  
✉ tan.ngiap.chuan@singhealth.com.sg  
Y. Yusoff,  
✉ yusrina.yusoff@singhealth.com.sg

RECEIVED 17 May 2023  
ACCEPTED 19 May 2023  
PUBLISHED 30 May 2023

## CITATION

Tan NC, Yusoff Y, Koot D, Lau QC, Lim H, Hui TF, Cher HY, Tan PYA and Koh YLE (2023), Corrigendum: Introducing a healthcare-assistive robot in primary care: a preliminary questionnaire survey. *Front. Robot. AI* 10:1224492. doi: 10.3389/frobt.2023.1224492

## COPYRIGHT

© 2023 Tan, Yusoff, Koot, Lau, Lim, Hui, Cher, Tan and Koh. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Corrigendum: Introducing a healthcare-assistive robot in primary care: a preliminary questionnaire survey

N. C. Tan<sup>1\*</sup>, Y. Yusoff<sup>1\*</sup>, D. Koot<sup>1</sup>, Q. C. Lau<sup>2</sup>, H. Lim<sup>3</sup>, T. F. Hui<sup>4</sup>, H. Y. Cher<sup>5</sup>, P. Y. A. Tan<sup>5</sup> and Y. L. E. Koh<sup>1</sup>

<sup>1</sup>SingHealth Polyclinics, Singapore, Singapore, <sup>2</sup>School of Life Sciences & Chemical Technology, Ngee Ann Polytechnic, Singapore, Singapore, <sup>3</sup>School of Health Sciences, Ngee Ann Polytechnic, Singapore, Singapore, <sup>4</sup>School of Engineering, Ngee Ann Polytechnic, Singapore, Singapore, <sup>5</sup>Yong Loo Lin School of Medicine, National University of Singapore, Singapore, Singapore

## KEYWORDS

healthcare-assistive robot, primary care, patient, healthcare worker, infection control

## A Corrigendum on

## Introducing a healthcare-assistive robot in primary care: a preliminary questionnaire survey

by Tan NC, Yusoff Y, Koot D, Lau QC, Lim H, Hui TF, Cher HY, Tan PYA and Koh YLE (2023). *Front. Robot. AI* 10:1123153. doi: 10.3389/frobt.2023.1123153

## Incorrect Funding

In the published article, the **Funding** statement was incomplete as funding for the publication cost from another grant was left out. The original text is “Robot development was supported by the Decentralised Gap Fund (DGF 20GAP006) awarded to Ngee Ann Polytechnic from the Singapore Ministry of Education. The survey was conducted pro-bono by the primary healthcare investigators from SingHealth Polyclinics.” The correct Funding statement appears below.

The correct **Funding** statement is “Robot development was supported by the Decentralised Gap Fund (DGF 20GAP006) awarded to Ngee Ann Polytechnic from the Singapore Ministry of Education. The survey was conducted pro-bono by the primary healthcare investigators from SingHealth Polyclinics. The publication cost was supported by Singhealth Polyclinics Centre Grant CG21APR3006 (NMRC/CG3/001/2022-SHP).

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.