



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Nicolina Linta
✉ nikolina.linta2@unibo.it

SPECIALTY SECTION
This article was submitted to
Veterinary Imaging,
a section of the journal
Frontiers in Veterinary Science

RECEIVED 23 March 2023
ACCEPTED 30 March 2023
PUBLISHED 13 April 2023

CITATION
Costanzo G, Linta N, Auriemma E, Perfetti S,
Del Magno S and Diana A (2023) Corrigendum:
Ultrasonographic assessment of early leakage
in intestinal sutures in dogs.
Front. Vet. Sci. 10:1192801.
doi: 10.3389/fvets.2023.1192801

COPYRIGHT
© 2023 Costanzo, Linta, Auriemma, Perfetti,
Del Magno and Diana. This is an open-access
article distributed under the terms of the
[Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/).
The use, distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in this
journal is cited, in accordance with accepted
academic practice. No use, distribution or
reproduction is permitted which does not
comply with these terms.

Corrigendum: Ultrasonographic assessment of early leakage in intestinal sutures in dogs

Giulia Costanzo¹, Nicolina Linta^{2*}, Edoardo Auriemma¹,
Simone Perfetti², Sara Del Magno² and Alessia Diana²

¹AniCura Istituto Veterinario Novara, Novara, Italy, ²Department of Veterinary Medical Sciences, University of Bologna, Bologna, Italy

KEYWORDS

intestinal anastomosis, ultrasonography, canine, gastrointestinal tract, complication

A corrigendum on Ultrasonographic assessment of early leakage in intestinal sutures in dogs

by Costanzo, G., Linta, N., Auriemma, E., Perfetti, S., Del Magno, S., and Diana, A. (2023). *Front. Vet. Sci.* 10:1094287. doi: 10.3389/fvets.2023.1094287

Error in the Article Type

In the published article, there was an error in the article type. Instead of Case Report, it should be Brief Research Report.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.