



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Rita Gonçalves
✉ ritag@liverpool.ac.uk

RECEIVED 28 June 2024
ACCEPTED 11 July 2024
PUBLISHED 23 July 2024

CITATION
Gonçalves R, De Decker S, Walmsley G and Maddox TW (2024) Corrigendum: Magnetic resonance imaging prognostic factors for survival and relapse in dogs with meningoencephalitis of unknown origin. *Front. Vet. Sci.* 11:1456528. doi: 10.3389/fvets.2024.1456528

COPYRIGHT
© 2024 Gonçalves, De Decker, Walmsley and Maddox. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Magnetic resonance imaging prognostic factors for survival and relapse in dogs with meningoencephalitis of unknown origin

Rita Gonçalves^{1,2*}, Steven De Decker³, Gemma Walmsley^{1,2} and Thomas W. Maddox^{1,2}

¹Department of Veterinary Science, Small Animal Teaching Hospital, University of Liverpool, Neston, United Kingdom, ²Department of Musculoskeletal and Ageing Science, Institute of Lifecourse and Medical Sciences, University of Liverpool, Liverpool, United Kingdom, ³Department of Clinical Science and Services, Royal Veterinary College, University of London, London, United Kingdom

KEYWORDS

canine, MUO, MRI, outcome, prognosis, relapse

A corrigendum on

Magnetic resonance imaging prognostic factors for survival and relapse in dogs with meningoencephalitis of unknown origin

by Gonçalves, R., De Decker, S., Walmsley, G., and Maddox, T. W. (2024). *Front. Vet. Sci.* 11:1370882. doi: 10.3389/fvets.2024.1370882

In the published article, there was an error.

The authors omitted acknowledging the support from a different department within the university, which breaches the University of Liverpool's guidelines for interdepartmental collaborations. In order to provide this information, the Acknowledgments section has been added.

The corrected sentence appears below:

Acknowledgments

The authors acknowledge use of AMIRA 6.2 software provided by Liverpool Shared Research Facilities (Centre for Pre-Clinical Imaging), Faculty of Health and Life Sciences, University of Liverpool.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.