



## OPEN ACCESS

EDITED AND REVIEWED BY  
Kristy A. Nielson,  
Marquette University, United States

\*CORRESPONDENCE  
Danúbia de Sá-Caputo  
✉ dradanubia@gmail.com

SPECIALTY SECTION  
This article was submitted to  
Neurocognitive Aging and Behavior,  
a section of the journal  
Frontiers in Aging Neuroscience

RECEIVED 21 March 2023  
ACCEPTED 27 March 2023  
PUBLISHED 18 April 2023

CITATION  
Sá-Caputo Dd, Seixas A, Taiar R, Van der Zee EA  
and Bernardo-Filho M (2023) Editorial:  
Non-pharmacological interventions in healthy  
and pathological aging: Facts and perspectives.  
*Front. Aging Neurosci.* 15:1191281.  
doi: 10.3389/fnagi.2023.1191281

COPYRIGHT  
© 2023 Sá-Caputo, Seixas, Taiar, Van der Zee  
and Bernardo-Filho. This is an open-access  
article distributed under the terms of the  
[Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/).  
The use, distribution or reproduction in other  
forums is permitted, provided the original  
author(s) and the copyright owner(s) are  
credited and that the original publication in this  
journal is cited, in accordance with accepted  
academic practice. No use, distribution or  
reproduction is permitted which does not  
comply with these terms.

# Editorial: Non-pharmacological interventions in healthy and pathological aging: Facts and perspectives

Danúbia de Sá-Caputo<sup>1,2\*</sup>, Adérito Seixas<sup>3</sup>, Redha Taiar<sup>4</sup>,  
Eddy A. Van der Zee<sup>5</sup> and Mario Bernardo-Filho<sup>1</sup>

<sup>1</sup>Laboratório de Vibrações Mecânicas e Práticas Integrativas (LAVIMPI), Departamento de Biofísica e Biometria, Instituto de Biologia Roberto Alcântara Gomes and Policlínica Universitária Piquet Carneiro, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil, <sup>2</sup>Programa de Pós-Graduação em Fisiopatologia Clínica e Experimental, Faculdade de Ciências Médicas, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil, <sup>3</sup>Escola Superior de Saúde Fernando Pessoa, Fundação Fernando Pessoa, Porto, Portugal, <sup>4</sup>MATériaux et Ingénierie Mécanique (MATIM), Université de Reims Champagne-Ardenne, Reims, France, <sup>5</sup>Department of Molecular Neurobiology, Groningen Institute for Evolutionary Life Sciences (GELIFES), University of Groningen, Groningen, Netherlands

## KEYWORDS

aging, non-pharmacological intervention, cognitive function, physical exercise, mental health

## Editorial on the Research Topic

**Non-pharmacological interventions in healthy and pathological aging: Facts and perspectives**

## Introduction

The elderly population is defined as people aged 60 years and older according to the World Health Organization. The concept “aging population” is, from a historical point of view, a contemporary issue. The number of older people has been increasing, mainly in developing countries. There is data reporting that in 2019 this number was 1 billion and probably will increase to 1.4 billion in 2030 and even 2.1 billion in 2050, considering the world population. In fact, in 2019 only 9% of the world population was aged  $\geq 65$  years but the figures are expected to increase to 16% by 2050 (United Nations, 2019; Rudnicka et al., 2020; OECD, 2023).

Aging is a physiological phenomenon which can be related to healthy or pathological processes. The decline of physical and mental conditions, related to locomotor, cognition, and bodily functions, is associated with frailty syndrome and, consequently, with mortality. To the development of health aging, i.e., developing and maintaining the functional ability that enables wellbeing in older age, it is necessary to establish healthy habits, considering physical exercise, diet, mental health, quality of sleep, and other approaches throughout the life cycle. The environment in which people live can influence health and, consequently, the aging process. Cognitive functions and mood can be negatively affected during aging, increasing the risk of development of depression, dementia, and the deterioration of brain functions due to neurodegenerative diseases. Other health conditions are more prevalent in older people, such as obesity, benign prostatic hyperplasia, cardiovascular disease, stroke, and urinary incontinence (Ayensa and Calderon, 2011; Araujo et al., 2014; Salthouse, 2019; Badal et al., 2020; Bae, 2021; Arnoldy et al., 2023; Kim et al., 2023; Liu et al., 2023).

Therefore, strategies that promote healthy aging and thereby preventing impairments in quality of life, are important. The use of non-pharmacological interventions in the management of physical and/or mental impairments is desirable as they can be considered minimally invasive, effective and, generally, have low-cost. Consequently, a better understanding of the mechanisms involved in these approaches is crucial (Sá-Caputo et al., 2014; Chen et al., 2015; Biagi et al., 2016; Conelea et al., 2017; Bennett et al., 2019; Boehme et al., 2021; Arauz et al., 2022; Cardoso et al., 2022; Tseng et al., 2023).

In this context, research involving health strategies such as dietary interventions, physical exercise, and cognitive exercise is needed as these interventions are expected to improve muscle strength, functionality, quality of life, quality of sleep, cognitive function and to help manage phenomena as depression, cardiovascular-, and urinary-related conditions, among other common health issues in older people. New approaches as whole-body vibration, fecal microbiota transplantation and transcranial magnetic stimulation have been reported as important strategies to prevent and manage health conditions in older people. Good adherence, easy application, reduced adverse effects and costs are reported advantages of these non-pharmacological interventions (Basso et al., 2019; Gaitán et al., 2020; Dal Farra et al., 2021; Liu et al., 2022; Nawrat-Szołtysik et al., 2022). However, non-pharmacological interventions serving health strategies are still understudied.

The aim of this Research Topic was to publish original papers and reviews describing the mechanisms related to the use of non-pharmacological interventions to prevent and to manage health conditions through the life cycle. Moreover, we focused on the presentation of data that can develop a better understanding regarding neuroscience aspects related to it, promoting evidence-based clinical practice.

In this special issue, ten articles addressing those questions are included. We summarize their major contributions according to the subject categories. One Brief Research, seven Original Research Papers, one Study Protocol and one Systematic Review. The *Brief Research* reported the similarities and differences regarding the antidepressant effect of repetitive transcranial magnetic stimulation in younger and older adults (Cotovio et al.). Seven *Original Research Papers* reported the effects of sulforaphane intake on processing speed and negative moods in healthy older adults (Nouchi et al.), the association between social engagement and depressive symptoms in middle-aged and elderly people (Yang et al.), the association of sleep quality with lower urinary tract symptoms/benign prostatic hyperplasia (Li et al.), the effect of regular fecal microbiota transplantation and the effect of whole-body vibration as a passive alternative to exercise after myocardial damage in middle-aged mice (Zhang et al.), the effects of a specific Tai Chi concept on trunk postural control after stroke (Cui et al.), and the effects of a multidisciplinary body weight reduction program on physical and mental health and fatiguability of older people with obesity (Usubini et al.). The *Study Protocol* of a trial aimed to assess the effects of a 6-month multi-domain exercise program combining multiple exercise modalities, meditation, and social interaction on memory and brain function, in cognitively healthy late middle-aged and older adults (Chang et al.). The

*Systematic Review* compared the efficacy and acceptability of treatments for depressive symptoms in people with cognitive impairment (Jin et al.). Taken these studies together it is made clear that progress is being made and new avenues lie ahead of us in the use of non-pharmacological interventions.

## Conclusion

As the number of people with old age has increased worldwide, the promotion of knowledge and strategies to achieve healthy aging is desirable and necessary. Considering the impact of health conditions during the aging process, approaches with a minimum of side effects, with good adherence, and low cost are needed to manage the negative impact on health and to promote healthy aging. Thus, research on the effectiveness of non-pharmacological interventions is relevant and increasingly important, given the urgency of increasing numbers of older people worldwide. Non-pharmacological approaches reported in this Research Topic, such as “repetitive transcranial magnetic stimulation”, “sulforaphane intake”, “physical exercise”, “meditation”, “social interaction”, “fecal microbiota transplantation”, “whole-body vibration”, “physiological treatments”, “music therapy”, “Tai Chi”, “body weight reduction programs”, “rehabilitation programs”, and “dietary interventions” seem to support improvements in cognitive, mental and physical function and, therefore, promote healthy aging and manage the consequences related to pathological aging.

## Author contributions

All authors listed have made a substantial, direct, and intellectual contribution to the work and approved it for publication.

## Acknowledgments

The Guest Editors thank the authors that submitted their results aiming to improve the knowledge about healthy and pathological aging.

## Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

## References

- Araujo, A. B., Yaggi, H. K., Yang, M., McVary, K. T., Fang, S. C., Bliwise, D. L., et al. (2014). Sleep related problems and urological symptoms: Testing the hypothesis of bidirectionality in a longitudinal, population-based study. *J. Urol.* 191, 100–106. doi: 10.1016/j.juro.2013.07.011
- Arauz, Y. L. A., Ahuja, G., Kamsma, Y. P. T., Kortholt, A., van der Zee, E. A., van Heuvelen, M. J. G., et al. (2022). Potential of whole-body vibration in parkinson's disease: a systematic review and meta-analysis of human and animal studies. *Biology (Basel)*. 11, 1238. doi: 10.3390/biology11081238
- Arnoldy, L., Gauci, S., Young, L. M., Marx, W., Macpherson, H., Pipingas, A., et al. (2023). The association of dietary and nutrient patterns on neurocognitive decline: a systematic review of MRI and PET studies. *Ageing Res. Rev.* 4, 101892. doi: 10.1016/j.arr.2023.101892
- Ayensa, J. I., and Calderon, M. J. (2011). "Psychopathological comorbidity of obesity" in *Anales del Sistema Sanitario de Navarra*. 34, 253–261. doi: 10.4321/S1137-66272011000200011
- Badal, V. D., Vaccariello, E. D., Murray, E. R., Yu, K. E., Knight, R., Jeste, D. V., et al. (2020). The gut microbiome, aging, and longevity: A systematic review. *Nutrients*. 12, 3759. doi: 10.3390/nu12123759
- Bae, S. M. (2021). Autoregressive cross-lagged modelling of the relationship between social activity, depressive symptoms, and cognitive function in Korean elderly. *Psychogeriatrics*. 21, 350–358. doi: 10.1111/psyg.12674
- Basso, J. C., McHale, A., Ende, V., Oberlin, D. J., and Suzuki, W. A. (2019). Brief, daily meditation enhances attention, memory, mood, and emotional regulation in non-experienced meditators. *Behav. Brain Res.* 356, 208–220. doi: 10.1016/j.bbr.2018.08.023
- Bennett, S., Laver, K., Voigt-Radloff, S., Letts, L., Clemson, L., Graff, M., et al. (2019). Occupational therapy for people with dementia and their family carers provided at home: a systematic review and meta-analysis. *BMJ Open*. 9, e026308. doi: 10.1136/bmjopen-2018-026308
- Biagi, E., Franceschi, C., Rampelli, S., Severgnini, M., Ostan, R., Turrone, S., et al. (2016). Gut microbiota and extreme longevity. *Curr. Biol.* 26, 1480–1485. doi: 10.1016/j.cub.2016.04.016
- Boehme, M., Guzzetta, K. E., Bastiaanssen, T. F., Van De Wouw, M., Moloney, G. M., Gual-Grau, A., et al. (2021). Microbiota from young mice counteracts selective age-associated behavioral deficits. *Nat. Aging*. 1, 666–676. doi: 10.1038/s43587-021-00093-9
- Cardoso, A. L. B. D., Sá-Caputo, D. C., Asad, N. R., van Heuvelen, M. J., van der Zee, E. A., Ribeiro-Carvalho, A., et al. (2022). Beneficial effects of whole-body vibration exercise for brain disorders in experimental studies with animal models: a systematic review. *Behav. Brain Res.* 431, 113933. doi: 10.1016/j.bbr.2022.113933
- Chen, B. L., Guo, J. B., Liu, M. S., Li, X., Zou, J., Chen, X., et al. (2015). Effect of traditional Chinese exercise on gait and balance for stroke: a systematic review and meta-analysis. *PLoS ONE*. 10, e0135932. doi: 10.1371/journal.pone.0135932
- Conelea, C. A., Philip, N. S., Yip, A. G., Barnes, J. L., Niedzwiecki, M. J., Greenberg, B. D., et al. (2017). Transcranial magnetic stimulation for treatment-resistant depression: Naturalistic treatment outcomes for younger versus older patients. *J. Affect. Disord.* 217, 42–47. doi: 10.1016/j.jad.2017.03.063
- Dal Farra, F., Risio, R. G., Vismara, L., and Bergna, A. (2021). Effectiveness of osteopathic interventions in chronic non-specific low back pain: A systematic review and meta-analysis. *Complement Ther. Med.* 56, 102616. doi: 10.1016/j.ctim.2020.102616
- Gaitán, J. M., Boots, E. A., Dougherty, R. J., Ma, Y., Edwards, D. F., Mitchell, C. C., et al. (2020). Protocol of aerobic exercise and cognitive health (REACH): A pilot study. *J. Alzheimers Dis. Rep.* 4, 107–121. doi: 10.3233/ADR-200180
- Kim, Y., Kim, J., Kim, M., Song, K., and Choi, M. (2023). Association of depressive mood and frailty with mortality and health care utilization: korean national cohort study. *J. Am. Med. Dir. Assoc.* 3, S1525–8610(23)00103-2. doi: 10.1016/j.jamda.2023.01.025
- Liu, C., Wong, P. Y., Chung, Y. L., Chow, S. K. H., Cheung, W. H., Law, S. W., et al. (2023). Deciphering the "obesity paradox" in the elderly: A systematic review and meta-analysis of sarcopenic obesity. *Obes. Rev.* 24, e13534. doi: 10.1111/obr.13534
- Liu, Y., Hou, X., Tang, Z., Zhang, H., and Liu, J. (2022). The effect of different types of physical activity on cognitive reaction time in older adults in China. *Front. Public Health*. 10, 1051308. doi: 10.3389/fpubh.2022.1051308
- Nawrat-Szoltysik, A., Sieradzka, M., Nowacka-Chmielewska, M., Piejko, L., Duda, J., Brachman, A., et al. (2022). Effect of whole-body vibration training on selected intrinsic risk factors in women aged 60+ at fall risk: A randomized controlled trial. *Int. J. Environ. Res. Public Health*. 19, 17066. doi: 10.3390/ijerph192417066
- OECD (2023). "Elderly population" (indicator). doi: 10.1787/8d805ea1-en
- Rudnicka, E., Napierała, P., Podfigurna, A., Meczekalski, B., and Smolarczyk, R. (2020). The World Health Organization approach to healthy ageing. *Maturitas*. 139, 6–11. doi: 10.1016/j.maturitas.2020.05.018
- Sá-Caputo, D. D. C., Da Costa, P. R., Pacheco-Lima, R., Kutter, C., Costa-Cavalcanti, R., Mantilla-Giehl, P., et al. (2014). Is whole body vibration exercise a viable option for individuals with Alzheimer's Disease? *Public Health Research*. 4, 136–143. doi: 10.5923/j.phr.20140404.05
- Salthouse, T. A. (2019). Trajectories of normal cognitive aging. *Psychol. Aging*. 34, 17–24. doi: 10.1037/pag0000288
- Tseng, S. Y., Lai, C. L., Ko, C. P., Chang, Y. K., Fan, H. C., Wang, C. H., et al. (2023). The effectiveness of whole-body vibration and heat therapy on the muscle strength, flexibility, and balance abilities of elderly groups. *Int. J. Environ. Res. Public Health*. 20, 1650. doi: 10.3390/ijerph20021650
- United Nations (2019). *Department of Economic and Social Affairs, Population Division*. World Population Ageing (ST/ESA/SER.A/444).